

References

- Albertson, T. E., Peterson, S. L., Stark, L. G., Lakin, M. L. & Winters, W. D. (1981). The anticonvulsant properties of melatonin on kindled seizures in rats. *Neuropharmacology*, *20*, 61-66.
- Albus, M., Ackenheil, R. & Muller, F. (1982). Situational reactivity of autonomic functions in schizophrenic patients. *Psychiatry Research*, *6*, 361-370.
- Albus, M., Engel, R. R., Muller, F., Zander, K. J., & Ackenheil, M. (1982). Experimental stress situations and the state of autonomic arousal in schizophrenic and depressive patients. *International Pharmacopsychiatria*, *17*, 129-135.
- Alpert, M. & Friedhoff, A. J. (1980). An un-dopamine hypothesis of schizophrenia. *Schizophrenia Bulletin*, *6*(3), 187-390.
- American Psychiatric Association. (1987). *Diagnostic and statistical manual of mental disorders (3rd ed. revised)*. Washington, DC: Author.
- Andreasen, N. C. (1982). Negative vs. positive schizophrenia: Definition and validation. *Archives of General Psychiatry*, *39*, 789-794.
- Andreasen, N. C. (1985). Positive vs. negative schizophrenia: A critical review. *Schizophrenia Bulletin*, *11*(3), 380-389.
- Andreasen, N. C. (1987). The diagnosis of schizophrenia. *Schizophrenia Bulletin*, *13*(1), 9-47.
- Anthony, W. A. & Liberman, R. P. (1986). The practice of psychiatric rehabilitation: Historical, conceptual, and research base. *Schizophrenia Bulletin*, *12*(4), 542-559.
- Arato, M., Grof, E., Laszlo, I. & Brown, G. M. (1985). Reproducibility of the overnight melatonin secretion pattern in healthy men. In G. M. Brown & S. D. Wainwright (eds.), *Advances in the biosciences: The pineal gland; Endocrine aspects*(pp. 277-282). Oxford: Pergamon Press.
- Arendt, J. (1988). Melatonin. *Clinical Endocrinology*, *29*, 205-229.
- Axelrod, J. (1974). The pineal gland: A neurochemical transducer. *Science*, *184*, 1341-1348.
- Azumi, K., Takahashi, S., Takahashi, K., Maruyama, N. & Kikuti, S. (1967). The effects of dream deprivation on chronic schizophrenics and normal adults: A comparative study. *Folia Psychiatrica et Neurologica Japonica*, *21*, 205-225.
- Bailey, A. A. (1932). *From intellect to intuition*. New York: Lucis Publishing Co.

- Baldwin, W. J. (1989). Clinical parapsychology: A new perspective on spirit possession. In K. P. Freeman, M. L. Albertson & D. S. Ward (eds.), *Proceedings of the Second International Conference on Paranormal Research* (pp. 443-466). Fort Collins, CO: Rocky Mountain Research Institute.
- Ballanger, J. C. (1988). The use of anticonvulsants in manic-depressive illness. *Journal of Clinical Psychiatry*, 49(11), suppl., 21-24.
- Bandura, A. (1977). *Social learning theory*. Englewood Cliffs, NJ: Prentice-Hall.
- Bartko, G., Maylath, E. & Herczeg, I. (1987). Comparative study of schizophrenic patients relapsed on and off medication. *Psychiatry Research*, 22, 221-227.
- Beard, J. H., Propst, R. N. & Malamud, T. J. (1982). The Fountain House model of psychiatric rehabilitation. *Psychosocial Rehabilitation Journal*, 5, 47-59.
- Becker, B. O. (1990). *Cross currents*. Los Angeles: Jeremy P. Tarcher, Inc.
- Becker, B. O. & Seldon, B. (1985). *The body electric*. New York: William Morrow and Company, Inc.
- Bellak, L. & Strauss, S. (1979). Overview: The heuristic need for subgroups of the schizophrenic syndrome. *Schizophrenia Bulletin*, 5(3), 441-442.
- Bernstein, A. S. (1987). Orienting response research in schizophrenia: Where we have come and where we might go. *Schizophrenia Bulletin*, 13(4), 623-636.
- Besant, A. (1959). *A study in consciousness*. Wheaton, IL: The Theosophical Press.
- Bierman, J. M., Siegel, E., French, F. E. & Simonian, K. (1965). Analysis of the outcome of all pregnancies in a community. *American Journal of Obstetrics and Gynecology*, 91, 37-45.
- Bigelow, L. B. (1974). Effects of aqueous pineal extract in chronic schizophrenia. *Biological Psychiatry*, 8(1), 5-15.
- Blask, D. E. (1984). The pineal gland: An oncostatic gland? In R. J. Reiter (ed.). *The pineal gland* (253-284). New York: Raven Press.
- Bleuler, E. (1911). *Dementia praecox or the group of schizophrenias*. Translated by J. Zinkin (1950). New York: International Universities Press.
- Bockoven, J. S. (1963). *Moral treatment in American psychiatry*. New York: Springer Publishing.
- Bolduc, H. L. (1985). *Self-hypnosis: creating your own destiny*. Virginia Beach, VA: A.R.E. Press.

- Bolton, B. (1969). *Edgar Cayce speaks*. New York: Avon Books.
- Boyd, J. H., Pulver, A. E. & Stewart, W. (1986). Season of birth: Schizophrenia and bipolar disorder. *Schizophrenia Bulletin*, 12(2), 173-186.
- Bradbury, A. J., Kelly, M. E. & Smith, J. A. (1985). Melatonin action in the midbrain can regulate forebrain dopamine function both behaviorally and biochemically. In G. M. Brown & S. D. Wainwright (eds.). *Advances in the biosciences: The pineal gland: Endocrine aspects* (pp. 327-332). New York: Pergamon Press.
- Bradbury, T. N. & Miller, G. A. (1985). Season of birth in schizophrenia: A review of evidence, methodology, and etiology. *Psychological Bulletin*, 98, 569-594.
- Bradley, B. W. & McCanne, T. R. (1981). Autonomic responses to stress: The effects of progressive relaxation, the relaxation response, and expectancy of relief. *Biofeedback and Self-Regulation*, 6(2), 235-251.
- Brantingham, J. W. (1986). Still and Palmer: The impact of the first osteopath and the first chiropractor. *Chiropractic History*, 6, 19-22.
- Bro, H. H. (1990). *A Seer Out of Season*. New York: Penguin Books.
- Brockington, I. F., Cernik, K. F., Schofield, E. M., Downing, A. R., Francis, A. F. & Keelan, C. (1981). Puerperal psychosis. *Archives of General Psychiatry*, 38, 829-833.
- Brown, G. W. & Birley, J. L. T. (1968). Crises and life changes and the onset of schizophrenia. *Journal of Health and Social Behavior*, 9, 203-214.
- Brown, G. W., Monck, E. M., Carstairs, G. M. & King, J. K. (1962). Influence of family life on the course of schizophrenic illness. *British Journal of Preventive and Social Medicine*, 16, 55-68.
- Brown, R. P., Kocsis, J. H., Caroff, S., Amsterdam, J., Winokur, A., Stokes, P. E. & Frazier, A. (1985). Differences in nocturnal melatonin secretion between melancholic depressed patients and control subjects. *American Journal of Psychiatry*, 142, 811-816.
- Brown, W. A. & Herz, L. R. (1989). Response to neuroleptic drugs as a device for classifying schizophrenia. *Schizophrenia Bulletin*, 15(1), 123-128.
- Callan, J. P. (1979). Holistic health or holistic hoax? *Journal of the American Medical Association*, 241(11), 1156.
- Calvert, R. (1989). Massage and chiropractic: A healing partnership. *The Digest of Chiropractic Economics*, 37-40.
- Cancro, R. (1979). Genetic evidence for the existence of subgroups

- of the schizophrenic syndrome. *Schizophrenia Bulletin*, 5(3), 453-459.
- Cannady, D. (1982). Chronics and cleaning ladies. *Psychosocial Rehabilitation Journal*, 5, 13-16.
- Caplin, R. B. (1969). *Psychiatry and the community in nineteenth-century America*. New York: Basic Books, Inc.
- Carpenter, W. T. & Heinrichs, D. W. (1981). Treatment-relevant subtypes of schizophrenia. *The Journal of Nervous and Mental Disease*, 169(2), 113-119.
- Carpenter, W. T., Heinrichs, D. W. & Alphas, L. D. (1985). Treatment of negative symptoms. *Schizophrenia Bulletin*, 11(3), 440-450.
- Carpenter, Jr., W. T., & Stephens, J. H. (1979). An attempted integration of information relevant to schizophrenic subtypes. *Schizophrenia Bulletin*, 5(3), 490-506.
- Cayce, C. T. (1978, January). *Concerning a physical basis for mental illness*. Paper presented at the Medical Symposium, A.R.E. Clinic, Phoenix, Arizona. Available as Child Development Series, No. 9, A.R.E., Virginia Beach, VA.
- Cayce, J. G. (1973). *Osteopathy: Comparative concepts—A. T. Still and Edgar Cayce*. Virginia Beach, VA: Edgar Cayce Foundation.
- Chouinard, G. (1988). The use of benzodiazepines in the treatment of manic-depressive illness. *Journal of Clinical Psychiatry*, 49(11), 15-19.
- Cott, A. (1971). Controlled fasting treatment of schizophrenia in the U.S.S.R. *Schizophrenia*, 2-10.
- Cottingham, J. T. (1985). *Healing through touch*. Boulder, CO: Rolf Institute.
- Crow, T. J. (1980). Molecular pathology of schizophrenia: More than one disease process? *British Medical Journal*, 280, 66-68.
- Crow, T. J. (1985). The two-syndrome concept: Origins and current status. *Schizophrenia Bulletin*, 11(3), 471-484.
- Csernansky, J. G., Holman, C. A. & Hollister, L. E. (1983). Variability and the dopamine hypothesis of schizophrenia. *Schizophrenia Bulletin*, 9(3), 325-328.
- Cyriax, J. (1977). Deep massage. *Physiotherapy*, 63(2), 60-61.
- Cyriax, J. (1980). Clinical applications of massage. In J. B. Rogoff (ed.), *Manipulations, traction and massage* (pp. 152-169). Baltimore: Williams & Wilkins.
- Dawson, M. E. & Neuchterlein, K. H. (1984). Psychophysiological dysfunctions in the developmental course of schizophrenic disorders. *Schizophrenia Bulletin*, 10(2), 204-230.

- DeBenedette, V. (1988). Getting fit for life: Can exercise reduce stress? *The Physician and Sportsmedicine*, 16(6), 185-186, 191-200.
- Dennerstein, L., Judd, F. & Davies, B. (1983). Psychosis and the menstrual cycle. *The Medical Journal of Australia*, May, 524-526.
- Depue, R. A. & Fowles, D. C. (1973). Electrodermal activity as an index of arousal in schizophrenics. *Psychological Bulletin*, 79, 233-238.
- Dorian, B. & Garfinkel, P. E. (1987). Stress, immunity and illness—a review. *Psychological Medicine*, 17, 393-407.
- Duggan, J. & Duggan, S. (1989). *Massage, hydrotherapy & healing oils*. Inner Vision Publishing Company: Virginia Beach: VA.
- Dunn, F. E. (1950). Osteopathic concepts in psychiatry. *Journal of the American Osteopathic Association*, March, 354-357.
- Ebadi, M. (1984). Regulation of the synthesis of melatonin and its significance to neuroendocrinology. In R. J. Reiter (ed.), *The pineal gland*(1-38). New York: Raven Press.
- Ebels, I. & Balemans, G. M. (1986). Physiological aspects of pineal functions in mammals. *Physiological Reviews*, 66(3), 581-605.
- Edgar Cayce Foundation (1971). *Basic diet*. Virginia Beach, VA: A.R.E. Press.
- Eisner, V., Brazie, J. V., Pratt, M. W. & Hexter, A. C. (1979). The risk of low birthweight. *American Journal of Public Health*, 69, 887-893.
- Eitinger, L. & Strom, A. *Mortality and morbidity after stress*. New York: Humanities Press.
- Erb, J. L., Kadane, J. B. & Tourney, G. (1981). Discrimination between schizophrenic and control subjects by means of plasma dehydroepiandrosterone measurements. *Journal of Clinical Endocrinology and Metabolism*, 52, 181.
- Falloon, I. R. (1986). Family stress and schizophrenia. *Psychiatric clinics of North America*, 9(1), 165-182.
- Fariello, R., Bubenik, G., Brown, G. & Grotta, L. (1977). Epileptogenic action of intraventricularly injected antimelatonin activity. *Neurology*, 27, 567-570.
- Ferrier, I. N., Arendt, J., Johnstone, E. C. & Crow, T. J. (1982). Reduced nocturnal secretion of melatonin in chronic schizophrenia: Relationship to body weight. *Clinical Endocrinology*, 17, 181-187.
- Figueiredo, E., Conclaves, P. & Mota Cardoso, R. (1980). Massages and schizophrenia. *Revue de Medecine Psychosomatique et de Psychologie Medicale*, 22(3), 313-321.

- Fink, M., Shaw, R., Gross, G. E. & Coleman, F. S. (1958). Comparative study of chlorpromazine and insulin coma in therapy of psychosis. *Journal of the American Medical Association*, *166*(15), 1846-1850.
- Fiore, E. (1987). *The unquiet dead*. New York: Doubleday & Co.
- Fitch, L. & LaRoche, R. (1984). Earth House: An alternative for persons suffering from the schizophrenias. *Journal of Orthomolecular Psychiatry*, *14*(2), 136-142.
- Flor-Henry, P. (1975). Psychiatric surgery. *Canadian Psychiatric Association Journal*, *20*, 157-167.
- Floyd, M. (1984). The employment problems of people disabled by schizophrenia. *Occupational Medicine*, *34*(3), 93-95.
- Frederick, J. & Adelstein, P. (1978). Factors associated with low birth weight of infants delivered at term. *British Journal of Obstetrics and Gynecology*, *85*, 1-7.
- Gallagher, B. J., III, McFalls, J. A., Jr. & Jones, B. J. (1983). Racial factors in birth seasonality among schizophrenics: A preliminary analysis. *Journal of Abnormal Psychology*, *92*, 524-527.
- Garver, D. L., Reich, T., Isenberg, K. E. & Cloniger, C. R. (1989). Schizophrenia and the question of genetic heterogeneity. *Schizophrenia Bulletin*, *15*(3), 421-430.
- Garza-Trevino, E. S., Volkow, N. D., Cancro, R. & Contreras, S. (1990). Neurobiology of Schizophrenic Syndromes. *Hospital and Community Psychiatry*, *41*(9), 971-980.
- Gaziano, E. P., Freeman, D. W. & Allen T. E. (1981). Antenatal prediction of women at increased risk for infants with low birth weight. *American Journal of Obstetrics and Gynecology*, *140*, 99-107.
- Gerber, R. (1988). *Vibrational medicine*. Santa Fe, NM: Bear and Co.
- Gerdine, L. V. H. (1919). Mental diseases. *The Western Osteopath*, *13*(8), 5-6.
- Gilligan, S. (1987). *Therapeutic Trances*. New York: Brunner/Mazel, Inc.
- Gitlin, M. J. & Pasnau, R. O. (1989). Psychiatric syndromes linked to reproductive function in women: A review of current knowledge. *American Journal of Psychiatry*, *146*, 1413-1422.
- Glueck, B. C. & Stroebel, C. F. (1975). Biofeedback and meditation in the treatment of psychiatric illnesses. *Comprehensive Psychiatry*, *16*(4), 303-321.
- Goldberg, S. C. (1985). Negative and deficit symptoms in schizophrenia do respond to neuroleptics. *Schizophrenia Bulletin*, *11*(3), 453-456.

- Goldstein, J. M. & Kreisman, D. (1988). Gender, family environment, and schizophrenia. *Psychological Medicine*, 18, 861-872.
- Goldstein, J. M., Santangelo, S. L., Simpson, J. C. & Tsuang, M. T. (1990). The role of gender in identifying subtypes of schizophrenia: A latent class analytic approach. *Schizophrenia Bulletin*, 16(2), 263-275.
- Goldstein, J. M. & Tsuang, M. T. (1990). Gender and schizophrenia: An introduction and synthesis of findings. *Schizophrenia Bulletin*, 16(2), 179-183.
- Goldstein, M. J. (1987). Psychosocial issues. *Schizophrenia Bulletin*, 13(1), 157-169.
- Grady, H. (1988). *Study of the impedance device*. Phoenix, AZ: Fetzer Energy Medicine Research Institute & A.R.E. Medical Clinic.
- Grau, B. W. (1986). Measurement of negative symptoms—past issues: Comments and responses. *Schizophrenia Bulletin*, 12(1), 7-8.
- Gray, H. (1977). *Gray's Anatomy*. New York: Bounty Books.
- Green, M. F. & Nuechterlein, K. H. (1988). Neuroleptic effects on electrodermal responsivity to soft tones and loud noise in schizophrenia. *Psychiatry Research*, 24, 79-86.
- Greist, J. H., Klein, M. H., Eischens, R. R., Faris, J., Gurman, A. S. & Morgan, W. P. (1979). Running as treatment for depression. *Comprehensive Psychiatry*, 20(1), 41-54.
- Grof, C. & Grof, S. (1990). *The stormy search for the self*. Los Angeles: Jeremy P. Tarcher, Inc.
- Gruen, R. & Baron, M. (1984). Stressful life events and schizophrenia. *Neuropsychobiology*, 12, 206-208.
- Gruzelier, J., Connolly, J., Eves, F., Hirsch, S. Z., Weller, M. & Yorkston, N. (1981). Effect of propranolol and phenothiazines on electrodermal orienting and habituation in schizophrenia. *Psychological Medicine*, 11, 93-108.
- Gruzelier, J. & Venables, P. H. (1972). Skin conductance orienting activity in a heterogeneous sample of schizophrenia. *Journal of Nervous and Mental Disease*, 155, 277-287.
- Gruzelier, J. & Venables, P. H. (1973). Skin conductance responses to tones with and without attentional significance in schizophrenic and nonschizophrenic psychiatric patients. *Neuropsychologia*, 11, 221-230.
- Gunderson, J. G. (1980). A reevaluation of milieu therapy for nonchronic schizophrenic patients. *Schizophrenic Bulletin*, 6(1), 64-69.

- Gupta, Das, T. K. & Terz, J. (1967). Influence of pineal gland on the growth and spread of melanoma in the hamster. *Cancer Research*, 27, 1306.
- Gur, R. E. & Gur, R. C. (1990). Gender differences in regional cerebral blood flow. *Schizophrenia Bulletin*, 16(2), 247-254.
- Hanson, R. C. (1989). A preliminary investigation of out-of-body experience from a comparative, dialectical perspective. In K. P. Freeman, M. L. Albertson & D. S. Ward (eds.), *Proceedings of the Second International Conference on Paranormal Research* (pp. 235-253). Fort Collins, CO: Rocky Mountain Research Institute.
- Hardin, J. G. (1989). Rheumatoid arthritis therapy: The slow-acting agents. *Hospital Practice*, 163-173.
- Harris, A. E. (1988). Physical disease and schizophrenia. *Schizophrenia Bulletin*, 14(1), 85-96.
- Harris, M. J. & Jeste, D. V. (1988). Late-onset schizophrenia: An overview. *Schizophrenia Bulletin*, 14(1), 39-55.
- Hartley, R. & Smith, J. A. (1973). The activation of pineal hydroxyindole, O-methyltransferase by psychotomimetic drugs. *Journal of Pharmacology*, 25, 751-752.
- Havens, R. (1985). *The wisdom of Milton Erickson*. New York: Irvington Publishers.
- Heimann, H. (1985). Specificity and nonspecificity—a major problem in biologically oriented psychopathology. *Psychopathology*, 18, 82-87.
- Heinrichs, D. W., Hanlon, T. E. & Carpenter, W. T. (1984). The quality of life scale: An instrument for rating the schizophrenic deficit syndrome. *Schizophrenia Bulletin*, 10(3), 388-396.
- Hemphill, R. E., Reiss, M. & Taylor, A. L. (1944). Study of histology of testis in schizophrenia and other mental disorders. *Journal of Mental Science*, 90, 681-695.
- Herz, M. I. (1986). Toward an integrated approach to the treatment of schizophrenia. *Psychotherapy and Psychosomatics*, 46, 45-57.
- Hildreth, A. G. (1924). Osteopathy in the cure of insanity. *The Western Osteopath*, 18(8), 7-8.
- Hildreth, A. G. (1929). Fifteen years at Still-Hildreth. *The Journal of Osteopathy*, 36, 518-521.
- Hildreth, A. G. (1930). *Old osteopathy for the cure of insanity*. Paper presented in Philadelphia, PA. Month and occasion of presentation unknown.
- Hildreth, A. G. (1938). *The lengthening shadow of Dr. Andrew Taylor Still* (3rd ed.). Kirksville, MO: Osteopathic Enterprises, Inc.

- Hoffer, A. (1976). The medical model and milieu therapy. *Orthomolecular Psychiatry*, 5(4), 246-252.
- Hoffer, A. (1987). *Common questions on schizophrenia and their answers*. New Canaan, CT: Keats Publishing, Inc.
- Hogarty, G. E. (1984). Depot neuroleptics: The relevance of psychosocial factors—a United States perspective. *Journal of Clinical Psychiatry*, 45(5), 36-42.
- Hopkins, A. (1981). *Epilepsy, the facts*. Oxford: Oxford University Press.
- Hornykiewicz, O. (1982). Brain catecholamines in schizophrenia—a good case for noradrenaline. *Nature*, 299, 484-486.
- Horrobin, D. F. (1979). Schizophrenia: Reconciliation of the dopamine, prostaglandin, and opioid concepts and the role of the pineal. *The Lancet*, 529-531.
- Hoskins, R. G. & Sleeper, R. G. (1933). Organic functions in schizophrenia. *Archives of Neurological Psychiatry*, 30, 123-140.
- Huxley, A. (1944). *The perennial philosophy*. New York: Harper & Row.
- Hyde, A. P. (1985). *Living with schizophrenia*. Chicago: Contemporary Books.
- Iguchi, H., Kato, K. & Ibayashi, H. (1982). Age-dependent reduction in serum melatonin concentration in healthy human subjects. *Journal of Clinical Endocrinology and Metabolism*, 55, 27-29.
- Isaac, G. (1978). Steroid hormones in schizophrenia. *Schizophrenia Bulletin*, 4(1), 19.
- Jablensky, A. (1989). Epidemiology and cross-cultural aspects of schizophrenia. *Psychiatric Annals*, 19(10), 516-524.
- Jacobson, B. & Kinney, D. K. (1980). Perinatal complications in adopted and non-adopted schizophrenics and their controls. *Acta Psychiatrica Scandinavica*, 62(supplement 285), 337-346.
- Jahnke, R. (1986). Choosing body therapies for good health. *Venture Inward*, 2(2), 41-45.
- Jahnke, R. (1990). Qigong: Awakening and mastering the profound medicine that lies within. *Newsletter of the International Society for the Study of Subtle Energies and Energy Medicine*, 3, 3-7.
- Jansen, K. L. R., Dragunow, M. & Faull, R. L. M. (1990). Sigma receptors are highly concentrated in the rat pineal gland. *Brain Research*, 507, 158-160.
- Johnstone, E. C., Crow, T. J, Frith, C. D., Husband, J. & Kreef, I. (1976). Cerebral ventricular size and cognitive impairment in chronic schizophrenia. *Lancet*, II, 924-926.

- Josiassen, R. C., Roemer, R. A., Johnson, M. M. & Shagass, C. (1990). Are gender differences in schizophrenia reflected in brain event-related potentials? *Schizophrenia Bulletin*, *16*(2), 229-246.
- Judd, F. K., Burrows, G. D. & Norman, T. R. (1983). Psychosis after withdrawal of steroid therapy. *The Medical Journal of Australia*, 350-351.
- Judith, A. (1987). *Wheels of life*. St. Paul, MN: Llewellyn Publications.
- Kane, J. M., Rifkin, A. & Woerner, M. (1983). Low dose neuroleptic treatment of outpatient schizophrenics, I: Preliminary results for relapse rates. *Archives of General Psychiatry*, *40*, 893-896.
- Kane, J. M., Rifkin, A., Woerner, M., Reardon, G., Kreisman, D., Blumenthal, R. & Borenstein, M. (1985). High-dose versus low-dose strategies in the treatment of schizophrenia. *Psychopharmacology Bulletin*, *21*, 533-537.
- Karp, R. A. (1986). *Edgar Cayce encyclopedia of healing*. New York: Warner Books, Inc.
- Kasanin, J. (1933). The acute schizoaffective psychoses. *American Journal of Psychiatry*, *13*, 97-126.
- Katkin, S., Ginsburg, M., Rifkin, J. J. & Scott, J. T. (1971). Effectiveness of female volunteers in the treatment of outpatients. *Journal of Counseling Psychology*, *18*, 97-100.
- Katkin, S., Zimmerman, U., Rosenthal, T. & Ginsburg, M. (1975). Using volunteer therapists to reduce hospital readmissions. *Hospital and Community Psychiatry*, *26*, 151-153.
- Keats, M. M. & Mukerjee, S. (1988). Antiaggressive effect of adjunctive clonazepam in schizophrenia associated with seizure disorder. *Journal of Clinical Psychiatry*, *49*(3), 117-118.
- Keefe, R. S. E., Mohs, R. C., Davidson, M., Losonczy, M. F., Silverman, J. M., Lesser, J. C., Horvath, T. B. & Davis, K. L. (1988). Kraepelinian schizophrenia: A subgroup of schizophrenia? *Psychopharmacology Bulletin*, *24*(1), 56-61.
- Kemali, D., Maj, M., Ariano, M. G., Arena, F. & Lovero, N. (1985). 24-hour plasma levels of prolactin, cortisol, growth hormone and catecholamines in schizophrenic patients. *Neuropsychobiology*, *14*, 109-114.
- Kemali, D., Maj, M., Iorio, G., Marciano, G., Nolfè, S., Galderisi, S. & Salvati, A. (1985). Relationship between CSF noradrenaline levels, C-EEG indicators of activation and psychosis ratings in drug-free schizophrenic patients. *Acta Psychiatrica Scandinavica*, *71*, 19-24.
- Kieffer, G. (ed.). (1988). *Kundalini for the new age: Selected writings*

- of Gopi Krishna*. New York: Bantam.
- King, L. J. (1983). Occupational therapy and neuropsychiatry. *Occupational Therapy in Mental Health*, 3(1), 1-14.
- Kiriike, N., Izumiya, S., Nishiwaki, S., Maeda, Y., Nagata, T. & Kawakita, Y. (1988). TRH and DST in schizoaffective mania, mania, and schizophrenia. *Biological Psychiatry*, 24, 415-422.
- Kirkpatrick, B. & Buchanan, R. W. (1990). The neural basis of the deficit syndrome of schizophrenia. *The Journal of Nervous and Mental Disease*, 178(9), 545-555.
- Kitay, J. I. & Altschule, M. D. (1954). *The pineal gland* (pp. 79-95). Cambridge, MA: Harvard University Press.
- Klein, D. C. & Weller, J. L. (1970). Indole metabolism in the pineal gland, a circadian rhythm in N-acetyltransferase. *Science*, 169, 1093-1095.
- Kolakowska, T., Williams, A. O., Ardern, M., Reveley, M. A., Jambor, K., Gelder, M. G., & Mandelbrote, B. M. (1985). Schizophrenia with good and poor outcome, I: Early clinical features, response to neuroleptics and signs of organic dysfunction. *British Journal of Psychiatry*, 146, 229-246.
- Kopala, L. & Clark, C. (1990). Implications of olfactory agnosia for understanding sex differences in schizophrenia. *Schizophrenia Bulletin*, 16(2), 255-261.
- Korr, I. (1947). The neural basis of the osteopathic lesion. *Journal of the American Osteopathic Association*, 47, 191-198.
- Korr, I. (1948). The emerging concept of the osteopathic lesion. *Journal of the American Osteopathic Association*, 48, 127-138.
- Korr, I. (1955a). Clinical significance of the facilitated state. *Journal of the American Osteopathic Association*, 54(5), 277-282.
- Korr, I. (1955b). The concept of facilitation and its origin. *Journal of the American Osteopathic Association*, 55(5), 265-268.
- Korr, I. (ed.). (1970). *The physiologic basis of osteopathic medicine*. The Postgraduate Institute of Osteopathic Medicine and Surgery: Kirksville, MO.
- Korr, I. (1976). The spinal cord as organizer of disease processes: Some preliminary perspectives. *Journal of the American Osteopathic Association*, 76, 35-45.
- Korr, I. (ed.). (1978). *The neurobiological mechanisms in manipulative therapy*. New York: Plenum Publishing.
- Korr, I. M., Wilkinson, P. N. & Chornock, F. W. (1967). Axonal delivery of neuroplasmic components of muscle cells. *Science*, 155(20), 342-345.

- Kraepelin, E. (1919). *Dementia praecox and paraphrenia*. Translated by R. M. Barclay. New York: Robert E. Krieger Publishing Co., Inc., 1971.
- Kreamer, P. (1986). There's the rub: Massage goes hand in hand with better running. *The Runner*, p. 22.
- Kripke, D. F. & Risch, S. C. (1986). Therapeutic effects of bright light in depressed patients. *Annals of the New York Academy of Science*, 453, 270-281.
- Lahmeyer, H. W. & Bellur, S. N. (1987). Cardiac regulation and depression. *Journal of Psychiatric Research*, 21(1), 1-6.
- Leff, J. P. (1985). Social factors and maintenance neuroleptics in schizophrenic relapse: An integrative model. *Integrative Psychiatry*, 3, 72-88.
- Leff, J., Kuipers, L., Berkowitz, R., Vaughn, C. & Sturgeon, D. (1983). Life events, relatives' expressed emotion, and maintenance neuroleptics in schizophrenic relapse. *Psychological Medicine*, 13, 799-806.
- Lerchl, A., Nonaka, K. O., Stokkan, K. A. & Reiter, R. J. (1990). Marked rapid alterations in nocturnal pineal serotonin metabolism in mice and rats exposed to weak intermittent magnetic fields. *Biochemical and Biophysical Research Communications*, 169(1), 102-108.
- Lewine, R. J. (1986). Reply to Grau and Mueser. *Schizophrenia Bulletin*, 12(1), 9-11.
- Lewine, R. J., Gulley, L. R., Risch, S. C., Jewart, R. & Houpt, J. L. (1990). Sexual dimorphism, brain morphology, and schizophrenia. *Schizophrenia Bulletin*, 16(2), 195-203.
- Lewis, M. S. (1989). Age incidence and schizophrenia: Part I. The season of birth controversy. *Schizophrenia Bulletin*, 15(1), 59-73.
- Lewis, S. W. & Murray, R. M. (1987). Obstetric complications, neurodevelopmental deviance, and risk of schizophrenia. *Journal of Psychiatric Research*, 21(4), 413-421.
- Lewy, A. J. & Newsome, D. A. (1983). Different types of melatonin circadian secretory rhythms in some blind subjects. *Journal of Clinical Endocrinology and Metabolism*, 56, 1103-1107.
- Lewy, A. J., Wehr, T. A., Gold, P. W. & Goodwin, F. K. (1979). Plasma melatonin in manic-depressive illness. In E. Usdin, I. J. Kopin & J. Barchas (eds.), *Catecholamines: Basic and clinical frontiers*, Vol. II (pp. 1173-1175), Oxford: Pergamon Press.
- Lewy, A. J., Wehr, T. A., Goodwin, F. K., Newsome, D. & Rosenthal,

- N. E. (1981). Manic-depressive patients may be supersensitive to light. *Lancet*, 383-384.
- Li, R. K. (1981). Activity therapy and leisure counseling for the schizophrenic population. *Therapeutic Recreation Journal*, 44-49.
- Licht, S. (1983). History of ultraviolet therapy. In Stillwell, G. K. (ed.), *Therapeutic electricity and ultraviolet radiation* (174-193). Baltimore, MD: Williams & Wilkins.
- Licht, S. (1983). Therapeutic electricity. In Stillwell, G. K. (ed.), *Therapeutic electricity and ultraviolet radiation* (1-64). Baltimore, MD: Williams & Wilkins.
- Lickey, M. E. & Gordon, B. (1983). *Drugs for mental illness*. New York: W. H. Freeman and Company.
- Lieberman, C. (1979). Schizoaffective illness defies the dichotomy . . . and keeps DSM-III pondering. *Schizophrenia Bulletin*, 5(3), 436-440.
- Lozovsky, D. B., Koplín, I. J. & Saller, C. F. (1985). Modulation of dopamine receptor supersensitivity by chronic insulin; Implication in schizophrenia. *Brain Research*, 343, 190-193.
- Mackay, A. V. (1980). Positive and negative schizophrenic symptoms and the role of dopamine. *British Journal of Psychiatry*, 137, 379-386.
- Mackota, C. & Lamb, H. R. (1989). Vocational rehabilitation. *Psychiatric Annals*, 19(10), 548-552.
- MacSheain, B. & Murphy, G. (1981). Effectiveness of electromyograph biofeedback training with an acute schizophrenic population. *Journal of Psychiatric Treatment and Evaluation*, 3, 475-479.
- Marcus, N. & Levin, G. (1977). Clinical applications of biofeedback: Implications for psychiatry. *Hospital and Community Psychiatry*, 28, 21-25.
- Marder, S. R., Van Putten, T. & Mintz, J. (1987). *Archives of General Psychiatry*, 44, 518-521.
- Mason, J. W., Giller, E. L. & Kosten, T. R. (1988). Serum testosterone differences between patients with schizophrenia and those with affective disorders. *Biological Psychiatry*, 23, 357-366.
- McCall, W. V. (1989). Physical treatments in psychiatry: Current and historical use in the southern United States. *Southern Medical Journal*, 82(3), 345-351.
- McGarey, W. A. (1970). *Edgar Cayce and the palma christi*. Virginia Beach, VA: Edgar Cayce Foundation.

- McGarey, W. A. (1974). *Acupuncture and body energies*. Phoenix, AZ: Gabriel Press.
- McGarey, W. A. (1983). *The Edgar Cayce remedies*. New York: Bantam Books.
- McGarey, W. A. (1983). *Physician's reference notebook*. Virginia Beach, VA: A.R.E. Press.
- McGlashan, T. H. & Bardenstein, K. K. (1990). Gender differences in affective, schizoaffective, and schizophrenic disorders. *Schizophrenia Bulletin*, *16*(2), 319-330.
- McGowan, T. (1989). *Epilepsy*. New York: Franklin Watts.
- McGue, M. & Gottesman, I. I. (1989). Genetic linkage in schizophrenia: Perspectives from genetic epidemiology. *Schizophrenia Bulletin*, *15*(3), 453-464.
- McKenna, P. J., Kane, J. M. & Parrish, K. (1985). Psychotic syndromes in epilepsy. *American Journal of Psychiatry*, *142*(8), 895-904.
- McNeil, T. F. & Kau, L. (1978). Obstetric factors in the development of schizophrenia. In *The Nature of Schizophrenia* (L. C. Wynne, R. L. Cromwell & Matthysse, S., eds.), pp. 401-429. New York: John Wiley.
- Mednick, S. A. (1958). A learning theory approach to research in schizophrenia. *Psychological Bulletin*, *55*, 316-327.
- Mednick, S. A. (1970). Breakdown in individuals at high risk for schizophrenia: Possible predispositional perinatal factors. *Mental Hygiene*, *54*, 50-63.
- Mednick, S. A., Mura, E., Schulsinger, F., & Mednick, B. (1971). Perinatal conditions and infant development in children with schizophrenic parents. *Social Biology*, *18*, 103-113.
- Mednick, S. A. & Schulsinger, F. (1965). A longitudinal study of children with a high risk for schizophrenia: A preliminary report. In *Methods and goals in human behavior genetics* (S. Vandenberg, ed.), pp. 255-296. New York: Academic Press.
- Meltzer, H. Y. (1976). Neuromuscular dysfunction in schizophrenia. *Schizophrenia Bulletin*, *2*(1), 106-135.
- Meltzer, H. Y. (1979). Biology of schizophrenia subtypes: A review and proposal for method of study. *Schizophrenia Bulletin*, *5*(3), 460-479.
- Meltzer, H. Y. (1987). Biological studies in schizophrenia. *Schizophrenia Bulletin*, *13*(1), 80-111.
- Meltzer, H. Y., Arora, R. C. & Metz, J. (1984). Biological studies of schizoaffective disorders. *Schizophrenia Bulletin*, *10*(1), 49-64.
- Miles, A. & Philbrick, D. R. (1988). Melatonin and psychiatry.

- Biological Psychiatry*, 23, 405-425.
- Milin, J., Bajic, M. & Brakus V. (1988). Morphodynamic reactive response of the pineal gland of rats chronically exposed to stable strong magnetic field. *Neuroscience*, 26(3), 1083-1092.
- Miller, B. F. & Keane, C. B. (1972). *Encyclopedia and dictionary of medicine and nursing*. London: W. B. Saunders Company.
- Milsum, J. H. (1985). A model of the eustress system for health/illness. *Behavioral Science*, 30, 179-186.
- Min, K., Seo, I. S. & Song, J. (1987). Postnatal evolution of the human pineal gland. *Laboratory Investigation*, 57(6), 724-728.
- Mintz, E. E. (1983). *The psychic thread*. New York: Human Sciences Press.
- Mohamed, S. N., Merskey, H., Kazarian, S., & Disney, T. F. (1982). An investigation of the possible inverse relationships between the occurrence of rheumatoid arthritis, osteoarthritis, and schizophrenia. *Canadian Journal of Psychiatry*, 27, 381-383.
- Moszkowska, A., Kordon, C. & Ebels, I. (1971). Biochemical fractions and mechanisms involved in the pineal modulation of pituitary gonadotropin release. In G. E. W. Wolstenhome & J. Knight (eds.), *The pineal gland* (p. 241). London: Churchill Livingstone.
- Motta, M., Schiaffini, O., Piva, F. & Martini, L. (1971). Pineal principles and the control of adrenocorticotropin secretion. In G. E. W. Wolstenhome & J. Knight (eds.), *The pineal gland* (p. 279). London: Churchill Livingstone.
- Mullen, P. E., Linsell, C., Silman, R. E., Edwards, R., Carter, S., Hooper, J., Leone, R., Laude, C., Smith, I. & Towell, P. (1978). The human pineal: New approaches and prospects. *Journal of Psychosomatic Research*, 22, 357-376.
- Mullen, P. E. & Silman, R. E. (1977). The pineal and psychiatry: A review. *Psychological Medicine*, 7, 407-417.
- Murphy, G. & Ballou, R. O. (eds.). (1960). *William James on psychical research*. New York: The Viking Press.
- Murray, R. M. & Harvey. (1989). The congenital origins of schizophrenia. *Psychiatric Annals*, 19(10), 525-529.
- Naegeli-Osjord, H. (1989). Possession and exorcism in the light of my personal experience. In K. P. Freeman, M. L. Albertson, & D. S. Ward (eds.), *Proceedings of the Second International Conference on Paranormal Research* (pp. 467-479). Fort Collins, CO: Rocky Mountain Research Institute.
- Nasrallah, H. A., McCalley-Whitters, M. & Jacoby, C. G. (1982). Cere-

- bral ventricular enlargement in young manic males. *Journal of Affective Disorders*, 4, 15-19.
- Nasrallah, H. A., Schwarzkopf, S. B., Olson, S. C. & Coffman, J. A. (1990). Gender differences in schizophrenia on MRI brain scans. *Schizophrenia Bulletin*, 16(2), 205-210.
- Naylor, R. J. & Olley, J. E. (1959). The distribution of haloperidol in rat brain. *British Journal of Pharmacology*, 36, 208-209.
- Neppe, V. M. & Tucker, G. J. (1988a). Modern perspectives on epilepsy in relation to psychiatry: Classification and evaluation. *Hospital and Community Psychiatry*, 39(3), 263-271.
- Neppe, V. M. & Tucker, G. J. (1988b). Modern perspectives on epilepsy in relation to psychiatry: Behavioral disturbances of epilepsy. *Hospital and Community Psychiatry*, 39(4), 389-396.
- Nielsen, B. M., Mehlsen, J. & Behnke. (1988). Altered balance in the autonomic nervous system in schizophrenic patients. *Clinical Physiology*, 8, 193-199.
- Nigl, A. J., North, C. S. (1989). Current concepts of schizophrenia. *Comprehensive Therapy*, 15(3), 8-21.
- North, C. S. (1989). Current concepts of schizophrenia. *Comprehensive Therapy*, 15(3), 8-21.
- Nott, P. N. (1982). Psychiatric illness following childbirth in Southampton: A case register study. *Psychological Medicine*, 12, 557-561.
- Noyes, R., Jr. (1985). Beta-adrenergic blocking drugs in anxiety and stress. *Psychiatric Clinics of North America*, 8(1), 119-132.
- Nuechterlein, K. H. & Dawson, M. E. (1984). A heuristic vulnerability/stress model of schizophrenic episodes. *Schizophrenia Bulletin*, 10(2), 300-312.
- Oesterreich, T. K. (1966). *Possession: Demonic and other among primitive races, in antiquity, the Middle Ages, and modern times*. New York: University Books.
- Ohman, A. (1981). Electrodermal activity and vulnerability to schizophrenia: A review. *Biological Psychology*, 12, 87-145.
- Overall, J. E. & Gorham, D. R. (1962). The brief psychiatric rating scale. *Psychiatric Reports*, 10, 799-812.
- Oyeboode, F. & Davison, K. (1989). Epileptic schizophrenia: Clinical features and outcome. *Acta Psychiatrica Scandinavica*, 79, 327-331.
- Pagano, J. (1987). Chiropractic: Beyond back pains. *Venture Inward*, 3(4), 13-17.
- Parkes, A. S. (1976). *Patterns of sexuality and reproduction*. Oxford: Oxford University Press.

- Parnas, J., Mednick, S. A., Moffit T. E. & Crapuche, F. (1981). Perinatal complications and adult schizophrenia. *Trends in Neurosciences*, 4(10), 262-264.
- Parnas, J., Schulsinger, F., Teasdale, T. W., Schulsinger, H., Feldman, P. M. & Mednick, S. A. (1982). Perinatal complications and clinical outcome within the schizophrenia spectrum. *British Journal of Psychiatry*, 140, 416-420.
- Pasamanick, B. & Knobloch, H. (1971). Epidemiological studies on the complications of pregnancy and the birth process. In Caplan, G. (ed.), *Prevention of mental disorders in children* (pp. 74-79). New York: Basic Books.
- Pavel, S. & Goldstein, R. (1981). Narcoleptic-like alterations of the sleep cycle in cats induced by a specific vasotocin antiserum. *Brain Research Bulletin*, 7, 453-454.
- Pavel, S., Psatta, D. & Goldstein, R. (1977). Slow-wave sleep induced in cats by extremely small amounts of synthetic and pineal vasotocin injected into the third ventricle of the brain. *Brain Research Bulletin*, 2, 251-254.
- Pearlson, G. D., Garbacz, D. J., Moberg, P. J., Ahn, H. S. & De Paulo, J. R. (1985). Symptomatic, familial, perinatal, and social correlates of CAT changes in schizophrenics and bipolars. *Journal of Nervous and Mental Disorders*, 173, 42-50.
- Pearlson, G. D. & Veroff, A. E. (1981). Computerized tomographic scan changes in manic-depressive illness. *Lancet*, 2, 470.
- Perez, M. M. & Trimble, M. R. (1980). Epileptic psychosis—Diagnostic comparison with process schizophrenia. *British Journal of Psychiatry*, 137, 245-249.
- Peterson, B. (ed.). (1979). *The collected papers of Irvin M. Korr*. Colorado Springs, CO: American Academy of Osteopathy.
- Philo, R. & Reiter, R. (1978). Characterization of pinealectomy induced convulsions in the Mongolian gerbil. *Epilepsia*, 19, 485-492.
- Pollack, M., Woerner, M., Goodman, W. & Greenberg, I. (1966). Childhood development patterns of hospitalized adult schizophrenic and non-schizophrenic patients and their siblings. *American Journal of Orthopsychiatry*, 36, 510-517.
- Pope, H. G. & Katz, D. L. (1987). Bodybuilder's psychosis. *The Lancet*, 863.
- Pope, H. G. & Katz, D. L. (1988). Affective and psychotic symptoms associated with anabolic steroid use. *American Journal of Psychiatry*, 145(4), 487-490.

- Pope, H. G. & Lipinski, J. F. (1978). Diagnosis in schizophrenia and manic-depressive illness. *Archives of General Psychiatry*, *35*, 811-828.
- Post, R. M. (1990). Non-lithium treatment of bipolar disorder. *Journal of Clinical Psychiatry*, *51*(8), suppl., 9-16.
- Prerost, F. J. (1988). Use of humor and guided imagery in therapy to alleviate stress. *Journal of Mental Health Counseling*, *10*(1), 16-22.
- Prien, R. F. & Gelenberg, A. J. (1989). Alternatives to lithium for preventive treatment of bipolar disorder. *American Journal of Psychiatry*, *146*(7), 840-848.
- Pugh, C., Steinert, J. & Priest, R. Propranolol in schizophrenia: A double-blind, placebo-controlled trial of propranolol as an adjunct to neuroleptic medication. *British Journal of Psychiatry*, *143*, 151-156.
- Quigley, W. H. (1954). *Case histories of mental illness under chiropractic*. Davenport, Iowa: Clear View Sanitarium.
- Quigley, W. H. (1958). *Case histories of mental illness under chiropractic*. Davenport, Iowa: Clear View Sanitarium.
- Quigley, W. H. (1973). Physiological psychology of chiropractic. In H. S. Schwartz (ed.), *Mental health and chiropractic* (pp. 113-118). New York: Sessions Publishers.
- Quigley, W. H. (1983). Pioneering mental health: Institutional psychiatric care in chiropractic. *Chiropractic History*, *3*(1), 69-73.
- Ralph, C. L. (1984). Pineal bodies and thermoregulation. In R. J. Reiter (ed.), *The pineal gland* (pp. 193-220). New York: Raven Press.
- Reilly, H. J. & Brod, R. H. (1975). *The Edgar Cayce handbook for health through drugless therapy*. Virginia Beach, VA: A.R.E Press.
- Reiter, R. J. (1977). Pineal interaction with the central nervous system. *Waking and Sleeping*, *1*, 253-258.
- Reiter, R. J. (ed.). (1984). *The pineal gland*. New York: Raven Press.
- Reveley, A. M., Reveley, M. A. & Murray, R. M. (1984). Cerebral ventricular enlargement in non-genetic schizophrenia: A controlled twin study. *British Journal of Psychiatry*, *144*, 89-93.
- Rieder, R. O., Mann, L. S., Weinberger, D. R., van Kammen, D. P. & Post, R. M. (1983). Computed tomographic scans in patients with schizophrenia, schizoaffective, and bipolar affective disorder. *Archives of General Psychiatry*, *40*, 735-739.
- Roberts, G. W., Done, D. J., Bruton, C. & Crow, T. J. (1990). A "mock up" of schizophrenia: Temporal lobe epilepsy and schizophrenia-like psychosis. *Biological Psychiatry*, *28*, 127-143.

- Robinson, J. W. (1980). Helping others manage stress. *Journal of Extension*, 46-53.
- Rodin, A. E. (1963). The growth and spread of Walker 256 carcinoma in pinealectomized rats. *Cancer Research*, 23, 1545.
- Rogers, C. R. (1957). The necessary and sufficient conditions of therapeutic personality change. *Journal of Consulting Psychology*, 21, 95-103.
- Rogo, D. S. (1987). *The infinite boundary*. New York: Dodd, Mead & Co.
- Rosenthal, N. E., Sack, D. A., Gillin, J. C., Lewy, A. J., Goodwin, F. K., Davenport, Y., Mueller, P. S., Newsome, D. A. & Wehr, T. A. (1984). Seasonal affective disorder: A description of the syndrome and preliminary findings with light therapy. *Archives of General Psychiatry*, 41, 72-79.
- Rubin, L. B. (1985). *Just friends*. New York: Harper & Row.
- Rubin, L. S. (1976). Sympathetic-parasympathetic imbalance as a diagnostic concomitant of schizophrenia: Implications for pharmacotherapy. *Research Communications in Psychology, Psychiatry and Behavior*, 1, 73-89.
- Sannella, L. (1987). *The kundalini experience: Psychosis or transcendence*. Lower Lake, CA: Integral Publishing.
- Scheiber, S. C., Cohen, R., Yamamura, H., Novak, R. & Beutler, L. (1981). Dialysis for schizophrenia: An uncontrolled study of 11 patients. *American Journal of Psychiatry*, 138, 662-667.
- Scheinbaum, B. W. (1979). Psychiatric diagnostic error. *Schizophrenia Bulletin*, 5(4), 560-564.
- Schiffer, R. B. (1987). Epilepsy, psychosis, and forced normalization. *Archives of Neurology*, 44, 253.
- Schneider, K. (1959). *Clinical Psychopathology*. New York: Grune and Stratton, Inc.
- Schneider, S. J. & Pope, A. T. (1982). Neuroleptic-like electroencephalographic changes in schizophrenics through biofeedback. *Biofeedback and Self-Regulation*, 7(4), 479-490.
- Schulz, S. C. & Pato, C. N. (1989). Pharmacologic treatment of schizophrenia. *Psychiatric Annals*, 19(10), 536-541.
- Schwartz, H. S. (1973). *Mental health and chiropractic, a multidisciplinary approach*. New York: Sessions Publishers.
- Seeman, M. V. (1983). Interaction of sex, age, and neuroleptic dose. *Comprehensive Psychiatry*, 24, 125-128.
- Seeman, M. V. & Hauser, P. (1984). The influence of gender on family environment. *International Journal of Family Psychiatry*, 5, 227-232.

- Seeman, M. V. & Lang, M. (1990). The role of estrogens in schizophrenia gender differences. *Schizophrenia Bulletin*, 16(2), 185-194.
- Sellheimer, T. & Lee, M. (1987). Community integration through therapeutic recreation: The Scorpions' second season. *International Journal of Partial Hospitalization*, 4(3), 235-240.
- Severini, V. & Vererando, A. (1967). Physiological effects of massage on the cardiovascular system. *Europa Medicophysica*, 3, 165-183.
- Shepard, L. A. (1984). *Encyclopedia of occultism and parapsychology*. (2nd ed.) Detroit, MI: Book Tower.
- Sheppard, G. P. (1979). High-dose propranolol in schizophrenia. *British Journal of Psychiatry*, 134, 470-476.
- Singh, M. M. & Kay, S. R. (1979). Dysphoric response to neuroleptic treatment in schizophrenia: Its relationship to autonomic arousal and prognosis. *Biological Psychiatry*, 14(2), 277-295.
- Slater, E. & Beard, A. W. (1963). The schizophrenia-like psychoses of epilepsy: Psychiatric aspects. *British Journal of Psychiatry*, 109, 95-129.
- Slater, V., Linn, M. W., Harris, R. & Odutola, A. A. (1981). A retrospective review of relapse. *Journal of Psychiatric Treatment and Evaluation*, 3, 515-521.
- Snyder, S. H. & Reivich, M. (1966). Regional localization of lysergic acid diethylamide in monkey brain. *Nature*, 1093-1095.
- Souetre, E., Salvati, E., Krebs, B., Belugou, J. & Darcourt, G. (1989). Abnormal melatonin response to 5-methoxypsoralen in dementia. *American Journal of Psychiatry*, 146(8), 1037-1040.
- Spitzer, R. L., Endicott, J. E. & Robins, E. (1978). Research diagnostic criteria: Rationale and reliability. *Archives of General Psychiatry*, 35, 773-782.
- Spohn, H. E. & Patterson, T. (1979). Recent studies of psychophysiology in schizophrenia. *Schizophrenia Bulletin*, 5(4), 581-611.
- Srinivasan, T. M. (ed.). (1988). *Energy medicine around the world*. Phoenix: Gabriel Press.
- Stearn, J. (1967). *Edgar Cayce—the sleeping prophet*. New York: Bantam Books.
- Stein, F. & Nikolic, S. (1989). Teaching stress management techniques to a schizophrenic patient. *The American Journal of Occupational Therapy*, 43(3), 162-169.
- Sternberg, D. E., Charney, D. S., Heninger, G. R., Leckman, J. F., Hafstad, K. M. & Landis D. H. (1982). Impaired presynaptic

- regulation of norepinephrine in schizophrenia. *Archives of General Psychiatry*, 39, 285-289.
- Stevens, J. R. (1988). Psychiatric aspects of epilepsy. *Journal of Clinical Psychiatry*, 49(4), suppl., 49-57.
- Stickney, S. K., Hall, R. C. & Gardner, E. R. (1980). The effect of referral procedures on aftercare compliance. *Hospital and Community Psychiatry*, 31(8), 567-569.
- Still, A. T. (1897). *Autobiography of A. T. Still*. Kirksville, MO: Published by author.
- Still, F. M. (1933). *Comparison of osteopathic and medical results in dementia praecox*. Paper presented at the American Osteopathic Association Convention, Milwaukee, WI.
- Straube, E. R. (1983). High and low arousability in schizophrenia: A clue to cause and development of the illness ascertained by differences in autonomic nervous system reactivity? *Advances in Biological Psychiatry*, 13, 197-114.
- Straube, E. R., Schied, H. W., Rein, W. & Breyer-Pfaff, U. (1987). Autonomic nervous system differences as predictors of short-term outcome in schizophrenics. *Pharmacopsychiat*, 20, 105-110.
- Strauss, J. S. (1985). Negative symptoms: Future developments of the concept. *Schizophrenia Bulletin*, 11(3), 457-461.
- Strauss, J. S. & Bellak, L. (1979). Epilogue: Subtypes of the schizophrenic syndrome — their current status. *Schizophrenia Bulletin*, 5(3), 507-508.
- Strauss, J. S. & Docherty, J. P. (1979). Subtypes of schizophrenia: Descriptive models. *Schizophrenia Bulletin*, 5(3), 447-452.
- Strauss, M. (1985). *Recovering from the new age: Therapies for kundalini crisis*. Unpublished manuscript. There is a copy in the A.R.E. Library reference section.
- Sugrue, T. (1942). *There is a river: The story of Edgar Cayce*. Virginia Beach: VA: A.R.E. Press.
- Sutherland, W. L. (1976). *Osteopathy in the cranial field*. 3rd edition. H. I. Magoun (ed.). Kirksville, MO: The Journal Printing Co.
- Svensson, T. H. (1987). Peripheral, autonomic regulation of locus coeruleus noradrenergic neurons in brain: Putative implications for psychiatry and psychopharmacology. *Psychopharmacology*, 92, 1-7.
- Tandon, R. & Greden, J. F. (1989). Cholinergic hyperactivity and negative schizophrenic symptoms. *Archives of General Psychiatry*, 46, 745-753.
- Tarrier, N., Vaughn, C., Lader, M. H. & Leff, J. P. (1979). Bodily reac-

- tions to people and events in schizophrenics. *Archives of General Psychiatry*, *36*, 311-315.
- Thoelen, H., Stricker, E., Feer, H., Massini, M. A. & Staub, H. (1960). Ueber die anwendung der kunstlichen niere bei schizophrenie und myasthenia gravis. *Dtsch. Med. Wochenschr.*, *85*, 1012-1016.
- Thygesen, P., Hermann, K. & Willanger, R. (1970). Concentration camp survivors in Denmark. *Danish Medical Bulletin*, *17*, 65-108.
- Torrey, E. F. (1988). *Surviving schizophrenia: A family manual*. New York: Harper & Row, Publishers.
- Tourney, G. & Erb, J. L. (1979). Temporal variations in androgens and stress hormones in control and schizophrenic subjects. *Biological Psychiatry*, *14*, 395-404.
- Tourney, G. & Hatfield, L. (1972). Plasma androgens in male schizophrenics. *Archives of General Psychiatry*, *27*, 753-755.
- Tramer, M. (1929). Über die biologische Bedeutung des Geburtsmonates, insbesondere für die Psychoseerkrankung. *Schweizer Archiv für Neurologie und Psychiatrie*, *24*, 17-24.
- Trimble, M. (1977). The relationship between epilepsy and schizophrenia: A biochemical hypothesis. *Biological Psychiatry*, *12*(2), 299-303.
- Tsuang, M. T. & Simpson, J. C. (1984). Schizoaffective disorder: Concept and reality. *Schizophrenia Bulletin*, *14*-25.
- Tsuang, M. T., Woolson, R. F., Winokur, G. & Crowe, R. R. (1981). Stability of psychiatric diagnosis. *Archives of General Psychiatry*, *38*, 535-539.
- Turner, C. D. & Bagnara, J. T. (1971). *General endocrinology*. Philadelphia: W. B. Saunders Co.
- Turner, G. D. (1957). *Chiropractic, electrotherapy, and hydrotherapy from the Edgar Cayce records*. Presentation at the A.R.E. Congress class on physical balance. Virginia Beach, VA: unpublished.
- Turner, S. W., Toone, B. K. & Brett-Jones, J. R. (1986). Computerized tomographic scan changes in early schizophrenia. *Psychological Medicine*, *16*, 219-225.
- Underwood, H. (1984). The pineal and circadian rhythms. In R. J. Reiter (ed.). *The pineal gland* (pp. 221-252). New York: Raven Press.
- van Kammen, D. P., Schulz, S. C., Balow, J. E., Zahn, T. P., Mundinger, G., Flye, M. W. & Bunney, W. E. (1983). Failure of hemodialysis to diminish psychotic behavior in schizophrenia: Behavioral

- and psychophysiological evaluation. *Artificial Organs*, 7(3), 310-316.
- van Kammen, D. P. & Antelman, S. (1984). Impaired noradrenergic transmission in schizophrenia? *Life Sciences*, 34, 1403-1413.
- Vaughn, C. & Leff, J. P. (1976). The measurement of expressed emotion in the families of psychiatric patients. *British Journal of Social and Clinical Psychology*, 15, 157-165.
- Wagemaker, H. & Cade, R. (1978). Hemodialysis in chronic schizophrenic patients. *Southern Medical Journal*, 71, 1463-1469.
- Wagemaker, H. & Cade, R. (1979). The experimental use of hemodialysis in the treatment of chronic schizophrenia. *Psychopharmacology Bulletin*, 15, 13-14.
- Walker, C. E. (1981). *Clinical practice of psychology*. New York: Pergamon Press.
- Watson, C. G. (1990). Schizophrenic birth seasonality and the age-incidence artifact. *Schizophrenia Bulletin*, 16(1), 5-10.
- Weinberg, R. & Kolodny K. (1988). The relationship of massage and exercise to mood enhancement. *The Sport Psychologist*, 2, 202-211.
- Wendel, O. T., Waterbury, L. D. & Pierce L. A. (1974). Increase in monoamine concentrations in rat brain following melatonin administration. *Experientia*, 30, 1167-1168.
- Wetterberg, L., Beck-Friis, J., Aperia B., Kjellman, B. F., Ljunggren, J. G., Petterson, U. & Sjolín, A. (1979). Melatonin/cortisol ratio in depression. *Lancet*, 1361.
- Wetterberg, L., Aperia, B., Kjellman, B. F., Ljunggren, J. G., Petterson, U., Sjolín, A. & Tham, A. (1981). Pineal-hypothalamic-pituitary function in patients with depressive illness. In K. Fuxe, J. A. Gustafsson & L. Wetterberg (eds.), *Steroid Hormone Regulation of the Brain* (pp. 397-403). Oxford: Pergamon Press.
- Wetterberg, L., Aperia, B., Beck-Friis, J., Kjellman, B. F., Ljunggren, J. G., Nilsson, A., Patterson, U., Tham, A. & Uden, F. (1982). Melatonin and cortisol levels in psychiatric illness. *Lancet*, 100.
- Wettlin, H. B. (1976). *Edgar Cayce's clairvoyance in treating mental illness*. Unpublished dissertation. Hollywood, FL: Heed University.
- Whalley, L. J., Christie, J. E., Bennie, J., Dick, J., Blackburn, I. M., Blackwood, D., Watts, G. S. & Fink, G. (1985). Selective increase in plasma luteinising hormone concentrations in drug-free young men with mania. *British Medical Journal*, 290, 99-102.
- Whalley, L. J., Christie, J. E., Blackwood, D. H., Bennie, J., Dick, H.,

- Blackburn, I. M. & Fink, G. (1989). Disturbed endocrine function in the psychoses. *British Journal of Psychiatry*, *155*, 462-467.
- White, J. (1990). *Kundalini, evolution, and enlightenment*. New York: Paragon House.
- Wickland, C. A. (1924). *Thirty years among the dead*. Los Angeles: National Psychological Laboratory.
- Wilber, K. (1981). *Up from Eden: A transpersonal view of human evolution*. Boulder: Shambhala.
- Williams, R. T. (1980). Creatively coping with stress. *Journal of Extension*, 24-30.
- Wilson, B. W., Stevens, R. G. & L. E. Anderson. (1989). Neuroendocrine mediated effects of electromagnetic-field exposure: Possible role of the pineal gland. *Life Sciences*, *45*, 1319-1332.
- Windsor, J. C. (1969, January). *A holistic theory of mental illness*. Paper presented to the second annual symposium of the Research Division of the Edgar Cayce Foundation, Phoenix, Arizona. Included in the *Physician's reference notebook*, pp. 244-257, Virginia Beach, VA: A.R.E. Press.
- Windsor, J. C. (1989). *Commentary on possession*. Available from the author: P.O. Box 557, Williamsburg, VA 23187.
- Winters, W. D., Alcaraz, M., Cervantes, M. Y. & Flores-Guzman, C. (1973). The synergistic effect of reduced visual input on ketamine action—The possible role of the pineal gland. *Neuropharmacology*, *12*, 407-416.
- Wise, S. S. (1989). Carbamazepine: Treatment option for bipolar patients. *Hospital and Community Psychiatry*, *40*(2), 123-124.
- Woerner, M. G., Pollack, M. & Klein, D. F. (1973). Pregnancy and birth complications in psychiatric patients. *Acta Psychiatrica Scandinavica*, *49*, 712-716.
- Woody, R. H. (1979). Intimacy-related anxiety and massage. *Voices*, *15*(1), 36-42.
- Wyatt, R., Termini, B. A. & Davis, J. (1971). A review of the literature 1960-1970: Part II. Sleep studies. *Schizophrenia Bulletin*, *4*, 45-66.
- Wyatt, R. J., Alexander, F. C., Egan, M. F. & Kirsh, D. G. (1988). Schizophrenia, just the facts. *Schizophrenia Research*, *1*, 3-18.
- Yorkston, N. J., Zaki, S. A., Pitcher, D. R., Gruzelier, J. H., Hollander, D. & Sergeant, H. G. (1977). Propranolol as an adjunct to the treatment of schizophrenia. *Lancet*, *II*, 575-578.
- Young, I. M., Leone, P. L., Stovell, P. & Silman, R. E. (1986). Night/day

- urinary 6-hydroxymelatonin production as a function of age, bodymass, and urinary creatinine levels: A population study in 110 subjects aged 3-80. *Journal of Endocrinology*, Suppl. Abstract No 32, 111.
- Zahn, T. P., Carpenter, W. T. & McGlashan, T. H. (1981). Autonomic nervous system activity in acute schizophrenia. *Archives of General Psychiatry*, 38, 251-258.
- Zisapel, N. & Laudon, M. (1983). Inhibition by melatonin of dopamine release from rat hypothalamus. *Brain Research*, 272, 378-381.
- Zubin, J. (1985). Negative symptoms: Are they indigenous to schizophrenia? *Schizophrenia Bulletin*, 11(3), 461-469.
- Zubin, J. & Spring, B. (1977). Vulnerability—a new view of schizophrenia. *Journal of Abnormal Psychology*, 86(2), 103-126.